Feasibility Questionnaire for Study Sites



MEthods for LOcalization of Different types of breast lesions

Is your study site a certified breast cancer center? (not mandatory in the MELODY study) □ yes □ no		
Certification standard: ☐ EUSOMA ☐ o	ther:	
Does your site participate in a structured mammography screening program?		
□ yes □ no		
How many surgeons perform breast surgeries at your site?		
How many new breast cancer patients with primary breast cancer are treated at your site per year?		
How many breast cancers at your site are non-palpable at time of diagnosis? %		
How many patients at your site receive breast conserving surgery? %		
How many breast cancer patients are treated at your site with neoadjuvant		
chemotherapy? per year		
Which localization technique do you routinely use for lesions visible on ultrasound?		
(multiple answers possible)		
☐ Wire-guided localization	□ MagSeed	
☐ Intraoperative ultrasound	☐ Sirius Pintuition	
☐ SaviScout	☐ LOCalizer	
□ EnVisio	□ MOLLI	
☐ Radioactive seed	□ lnk	
☐ ROLL (Radioactive Occult Lesion Localization)		
□ Other:		
Which localization technique do you routinely		
ultrasound (e.g., microcalcification)? (multiple answers possible)		
☐ Wire-guided localization	□ MagSeed	
☐ Intraoperative ultrasound	☐ Sirius Pintuition	

☐ SaviScout	☐ LOCalizer	
□ EnVisio	□ MOLLI	
☐ Radioactive seed	□ lnk	
☐ ROLL (Radioactive Occult Lesion Localization)		
□ Other:		
How many procedures using these localization technique(s) have been performed so far		
at your site? (approximately):	,	
Technique:	Number of procedures:	
Technique:	Number of procedures:	
Technique:	Number of procedures:	
Complete only if intraoperative ultrasound is used at your site:		
Type and manufacturer of ultrasound machine(s) available in the surgical room:		
Do vou use any additional marking tech	niques during intraoperative ultrasound?	
☐ Yes, wire	,	
☐ Yes, skin marking		
☐ Yes, other:		
□ No		
Who performs ultrasound during surgery	/?	
☐ Surgeon ☐ Radiologist	□ Other:	
In case of neoadjuvant chemotherapy, which marker do you routinely place in the tumor		
at the beginning of chemotherapy?	, , ,	
□ Clip / coil, type:		
□ MagSeed	☐ Sirius Pintuition	
□ SaviScout	☐ LOCalizer	
□ EnVisio	□ MOLLI	
☐ Radioactive seed	□ lnk	
□ ROLL (Radioactive Occult Lesion Localization)		
□ Other:		
What are current recommendations at your study site regarding the negative margin in		
invasive breast cancer?		
□ no tumor on ink □ other: mm		
What are current recommendations regarding negative margin in DCIS?		

Date Signature
Phone number:
E-mail:
Name of the contact person:
Country:
Address:
Name of the study site:
pts. in cohort:
pts. in cohort:
pts. in cohort:
Tiow many patients do you expect to enion in the MELODT study per year:
How many patients do you expect to enroll in the MELODY study per year?
If yes, please specify:
Do you foresee any difficulties in conducting the study? ☐ yes ☐ no
☐ yes ☐ no If no, who will be responsible for documentation?
study nurse or secretary)?
Does your study site have dedicated personnel for study-related documentation (e.g.,
□ no □ yes, please specify:
Are there any exceptions from these recommendations?
☐ no tumor on ink ☐ other: mm

Please send the questionnaire by e-mail to: melody@eubreast.com